S76	6	((("6470388").PN.) or (("4462077" | "4849879" | "4985894" | "5251152" | "5379406" | "5446680" | "5504863" | "5553235" | "5612898" | "5642478" | "5664093" | "5715432" | "5748881" | "5802291" | "5958004" | "6260062" | "6263255").PN.)) and priority	USPAT	OR	ON	2003/10/10 17:59
S77	2	("709"/$3 or "714"/$6).ccls. and collect$3 with (log or data or information) with priority adj5 (low$2 or high$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/10 18:06
S78	6	("709"/$3 or "714"/$6).ccls. and retriev$3 with (log or data or information) with priority adj5 (low$2 or high$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/10 18:07
S79	51	("709"/$3 or "714"/$6).ccls. and (collect$3 or retriev$3) with (log or data or information) with (state or level or priority) adj5 (low$2 or high$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/13 14:08
S80	38	(("709"/$3 or "714"/$6).ccls. and (collect$3 or retriev$3) with (log or data or information) with (state or level or priority) adj5 (low$2 or high$2)) and (@AD<"19991119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/13 08:57
S81	0	(((("709"/$3 or "714"/$6).ccls. and (collect$3 or retriev$3) with (log or data or information) with (state or level or priority) adj5 (low$2 or high$2)) and (@AD<"19991119")) and (collect$3 or retriev$3) with (log adj3 data) with (state or level or priority) adj5 (low$2 or high$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/10 18:09
S82	1	(((("709"/$3 or "714"/$6).ccls. and (collect$3 or retriev$3) with (log or data or information) with (state or level or priority) adj5 (low$2 or high$2)) and (@AD<"19991119")) and (collect$3 or retriev$3) with (log) with (state or level or priority) adj5 (low$2 or high$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/10 18:09
S83	1703	(("709"/$3 or "714"/$6).ccls. and (collect$3 or retriev$3 or gather$3) with (log or data or information) with (state or level or priority)) and (@AD<"19991119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/13 08:58

S84	17	(("709"/$3 or "714"/$6).ccls. and (collect$3 or retriev$3 or gather$3) with (log or data or information) with (priority) with based) and (@AD<"19991119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/13 08:58
S85	17	(("709"/$3 or "714"/$6).ccls. and (collect$3 or retriev$3 or gather$3) with (log or data or information) with (priority) with (accord$4 or based)) and (@AD<"19991119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/13 14:04
S86	6	("5263167" | "5724571" | "5761662" | "5931907" | "5978799" | "6115040").PN.	USPAT	OR	ON	2003/10/13 13:56
S87	1	"6424968".URPN.	USPAT	OR	ON	2003/10/13 14:03
S88	1	((("5263167" | "5724571" | "5761662" | "5931907" | "5978799" | "6115040").PN.) or "6424968". URPN.) and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/13 14:04
S89	3	(("3818458") or ("6317701") or ("6421676")).PN.	USPAT; USOCR	OR	OFF	2003/10/13 14:12
S90	1	("6470388").PN.	USPAT; USOCR	OR	OFF	2003/10/13 14:10
S91	4	(("3818458") or ("6317701") or ("6421676") or ("6470388")).PN.	USPAT; USOCR	OR	OFF	2003/10/13 14:12
S92	4101	"719"/$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:17
S93	2547	(("709/224") or ("709/223")).CCLS.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:20
S94	1274	(("370/245") or ("370/254") or ("714/47")).CCLS.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:20
S95	6239	"719"/$3 or (("709/224") or ("709/223")).CCLS.) or ((("370/245") or ("370/254") or ("714/47")).CCLS.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:20
S96	3	(("6470388") or ("6421686") or ("6317701")).PN.	USPAT; USOCR	OR	OFF	2004/03/22 09:30

S97	17	("4462077" | "4849879" | "4985894" | "5251152" | "5379406" | "5446680" | "5504863" | "5553235" | "5612898" | "5642478" | "5664093" | "5715432" | "5748881" | "5802291" | "5958004" | "6260062" | "6263255").PN.	USPAT	OR	ON	2004/03/22 09:29
S98	4	"6470388".URPN.	USPAT	OR	ON	2004/03/22 09:29
S99	15	("5448727" | "5581753" | "5586310" | "5765171" | "5781910" | "5781912" | "5787441" | "5802062" | "5819272" | "5832225" | "5832487" | "5870761" | "5884324" | "5937415" | "6167427").PN.	USPAT	OR	ON	2004/03/22 09:29
S100	1	"6421686".URPN.	USPAT	OR	ON	2004/03/22 09:29
S101	3	("5634039" | "5768119" | "5918233").PN.	USPAT	OR	ON	2004/03/22 09:30
S102	4	"6317701".URPN.	USPAT	OR	ON	2004/03/22 09:30
S103	47	(((("6470388") or ("6421686") or ("6317701")).PN.) or (("4462077" | "4849879" | "4985894" | "5251152" | "5379406" | "5446680" | "5504863" | "5553235" | "5612898" | "5642478" | "5664093" | "5715432" | "5748881" | "5802291" | "5958004" | "6260062" | "6263255").PN.) or "6470388". URPN. or (("5448727" | "5581753" | "5586310" | "5765171" | "5781910" | "5781912" | "5787441" | "5802062" | "5819272" | "5832225" | "5832487" | "5870761" | "5884324" | "5937415" | "6167427").PN.) or "6421686". URPN. or (("5634039" | "5768119" | "5918233").PN.) or "6317701". URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:30
S104	9	collect$3 adj10 (information or data or record or event or log or error) with ("if" or "when" or based or accord$4 or correspond$3) adj10 (priority or level) near5 (pre-determined or specified or designated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 10:02

S105	0	(((("6470388") or ("6421686") or ("6317701")).PN.) or (("4462077" | "4849879" | "4985894" | "5251152" | "5379406" | "5446680" | "5504863" | "5553235" | "5612898" | "5642478" | "5664093" | "5715432" | "5748881" | "5802291" | "5958004" | "6260062" | "6263255").PN.) or "6470388". URPN. or (("5448727" | "5581753" | "5586310" | "5765171" | "5781910" | "5781912" | "5787441" | "5802062" | "5819272" | "5832225" | "5832487" | "5870761" | "5884324" | "5937415" | "6167427").PN.) or "6421686". URPN. or (("5634039" | "5768119" | "5918233").PN.) or "6317701". URPN.) and (collect$3 adj10 (information or data or record or event or log or error) with ("if" or "when" or based or accord$4 or correspond$3) adj10 (priority or level) near5 (pre-determined or specified or designated))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:35
S106	7	collect$3 with (information or data or record or event or log or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority with (pre-determined or specified or designated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:02
S107	5	(collect$3 with (information or data or record or event or log or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority with (pre-determined or specified or designated)) not (collect$3 adj10 (information or data or record or event or log or error) with ("if" or "when" or based or accord$4 or correspond$3) adj10 (priority or level) near5 (pre-determined or specified or designated))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 10:03

S108	3	((gather$3 or collect$3) with (information or data or record or event or log or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority with (pre-determined or specified or designated)) not ((collect$3 with (information or data or record or event or log or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority with (pre-determined or specified or designated)) or (collect$3 adj10 (information or data or record or event or log or error) with ("if" or "when" or based or accord$4 or correspond$3) adj10 (priority or level) near5 (pre-determined or specified or designated)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 10:47
S109	21	(gather$3 or collect$3) with (information or data or record or event or log or error) with (only adj "if" or only adj when or based or accord$4 or correspond$3)with priority with (preset or determined or pre-determined or specified or designated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 14:53
S110	21	(gather$3 or collect$3) with (information or data or record or event or log or error) with (based or accord$4 or correspond$3)with priority with (preset or determined or pre-determined or specified or designated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 14:53
S111	81	(collect$3 or gather$3 or send$3 or transmit$4) with (information or data or record or event or log or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority with (pre-determined or specified or designated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:03
S112	82	(collect$3 or gather$3 or send$3 or transmit$4) with (information or data or record or event or log$4 or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority with (pre-determined or specified or designated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:17

S11 3	10	(collect$3 or gather$3) with (information or data or record or event or log$4 or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority with (pre-determined or specified or designated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:04
S11 4	0	((collect$3 or gather$3) with (information or data or record or event or log$4 or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority with (pre-determined or specified or designated)) and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:04
S11 5	1	((collect$3 or gather$3 or send$3 or transmit$4) with (information or data or record or event or log$4 or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority with (pre-determined or specified or designated)) and (collect$3 or gather$3 or send$3 or transmit$4) with (information or data or record or event or log$4 or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority with (pre-determined or specified or designated) with threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:20
S11 6	8	((collect$3 or gather$3 or send$3 or transmit$4) with (information or data or record or event or log$4 or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority with (pre-determined or specified or designated)) and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:07
S11 7	4	(((collect$3 or gather$3 or send$3 or transmit$4) with (information or data or record or event or log$4 or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority with (pre-determined or specified or designated)) and threshold) and (@AD <"19990610" or @PRAD <"19990610" or @RLAD<"19990610")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:16

S11 8	8	((collect$3 or gather$3 or send$3 or transmit$4) with (information or data or record or event or log$4 or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority with (pre-determined or specified or designated)) and compar$5 near10 priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:18
S11 9	5	(((collect$3 or gather$3 or send$3 or transmit$4) with (information or data or record or event or log$4 or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority with (pre-determined or specified or designated)) and compar$5 near10 priority) and (@AD <"19990610" or @PRAD <"19990610" or @RLAD<"19990610")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:18
S12 0	1693	(collect$3 or gather$3 or send$3 or transmit$4) with (information or data or record or event or log$4 or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:58
S12 1	168	(collect$3 or gather$3) with (information or data or record or event or log$4 or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:18
S12 2	0	(((collect$3 or gather$3) with (information or data or record or event or log$4 or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority) and compar$5 near10 priority near10 threshold) and (@AD <"19990610" or @PRAD <"19990610" or @RLAD<"19990610")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:21
S12 3	2	((collect$3 or gather$3) with (information or data or record or event or log$4 or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority) and compar$5 near10 priority near10 threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:18
S12 4	168	(collect$3 or gather$3) with (information or data or record or event or log$4 or error) with ("if" or "when" or based or accord$4 or correspond$3) with priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:20

S12 5	81	((collect$3 or gather$3) with (information or data or record or event or log$4 or error) with ("if" or "when" or based or accord$4 or correspond$3) with priority) and (@AD <"19990610" or @PRAD <"19990610" or @RLAD<"19990610")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 15:00
S12 6	0	(collect$3 or gather$3 or send$3 or transmit$4) with (information or data or record or event or log$4 or error) with ("only" or "if" or "when" or based or accord$4 or correspond$3)with priority near5 (higher or lower) adj5 (preset or predetermined or pre-determined or desingated or specified) adj priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 15:00
S12 7	4	(collect$3 or gather$3 or send$3 or transmit$4) with (information or data or record or event or log$4 or error) with ("only" or "if" or "when" or based or accord$4 or correspond$3)with priority near5 (higher or lower) adj10 (threshold or preset or predetermined or pre-determined or desingated or specified) adj5 priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 15:08
S12 8	4	((collect$3 or gather$3 or send$3 or transmit$4) with (information or data or record or event or log$4 or error) with ("only" or "if" or "when" or based or accord$4 or correspond$3)with priority near5 (higher or lower) adj10 (threshold or preset or predetermined or pre-determined or desingated or specified) adj5 priority) and (@AD <"19990610" or @PRAD <"19990610" or @RLAD<"19990610")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 15:08
S12 9	30	(collect$3 or gather$3 or send$3 or transmit$4) with (information or data or record or event or log$4 or error) with ("only" or "if" or "when" or based or accord$4 or correspond$3)with priority with (higher or lower) with (threshold or preset or predetermined or pre-determined or desingated or specified) with priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 15:08

S13 0	23	((collect$3 or gather$3 or send$3 or transmit$4) with (information or data or record or event or log$4 or error) with ("only" or "if" or "when" or based or accord$4 or correspond$3)with priority with (higher or lower) with (threshold or preset or predetermined or pre-determined or desingated or specified) with priority) and (@AD <"19990610" or @PRAD <"19990610" or @RLAD<"19990610")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 15:50
S13 1	10	(gather$3 or collect$3) with (information or data or record or event or log or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority with (pre-determined or specified or designated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 15:49
S13 2	7	((gather$3 or collect$3) with (information or data or record or event or log or error) with ("if" or "when" or based or accord$4 or correspond$3)with priority with (pre-determined or specified or designated)) and (@AD <"19990610" or @PRAD <"19990610" or @RLAD<"19990610")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 15:50
S15 2	6	("4232295" | "5455948" | "5778350" | "5943621" | "6195628" | "6282175").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/18 10:25
S15 3	3	("6421676").URPN.	USPAT	OR	ON	2004/11/18 10:32

Searched Data Lost on 2004/11/19/1:00PM
4:00 PM } cut